

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,767,787 B1
APPLICATION NO. : 09/469606
DATED : August 3, 2010
INVENTOR(S) : Vollmers et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover Page, under OTHER PUBLICATIONS, in Medof et al., replace “accelerating” with
--accelerating--;

In Knight et al., replace “36-40” with --35-40--;

In Sugita et al., replace “al.,J” with --al., J--;

Column 2, Line 58, replace “monoclonal Oh antibody” with --monoclonal antibody--;

Line 65, replace “82 kD f protein” with --82 kD of protein--.

Column 3, Line 37, replace “DAF is q, preferably” with --DAF is preferably--;

Column 9, Line 7, replace “640 by fragment” with --640 bp fragment--;


Line 7, replace “range of by 382” with --range of bp 382--;

Line 8, replace “850 by fragment” with --850 bp fragment--;

Line 9, replace “800 by from” with --800 bp from--.

Column 10, Line 53, replace “ApoAlere™” with --ApoAlert™--.

Signed and Sealed this
Fourth Day of October, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D".

David J. Kappos
Director of the United States Patent and Trademark Office